

FIG.1




FIG.2




FIG.3

311 DEVICE NAME	312 DEVICE TYPE	313 RELATIVE POSITION	314 UPDATE TIME	
				321
				322
				323




FIG.5




FIG.7




FIG.8

(a)

811	812	813
DEVICE NAME	DEVICE TIME	SPECIFICATION

(b)

[illegible]

FIG.9




FIG.10





FIG.11



(b)

1112 LINK TARGET DEVICE NAME	1113 LINK TARGET DEVICE TYPE

(c)

1131 CONDITIONS OF PRESENT DEVICE	1132 PRIORITY	1133 LINK TARGET DEVICE NAME/TYPE	1134 LINK TARGET DEVICE CONDIONS	1135 LINK TARGET DEVICE SELECTON CONDTION

FIG.12




FIG.13




FIG.14




FIG.15





FIG.16



09650138.082900

FIG.17




FIG.18




FIG.19

1911	1912	1913	1914
PURPOSE IDENTIFIER	LINK TARGET (DEVICE NAME, PROCESS NAME, INTERFACE NAME)	PROCESS NAME AND INTERFACE NAME OF PRESENT DEVICE	LINK STATE

006280" SET05960

FIG.20





FIG.21

FIG.22




FIG.23




FIG.24




FIG.25




FIG.26




FIG.27

635	631	632	633	634
ROUTE NUMBER	POINT (FROM)	POINT (TO)	OFFSET	ABSOLUTE POSITION

FIG.28




FIG.29




FIG.30




FIG.31




FIG.32




FIG.33




FIG.34




FIG.35

